CERTIFICATE OF MAILING (37CFR 1.8(a)) I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage is Stop-Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. as first class mail in an envelope addressed to: Henry E. Auer Typed name of person signing Certificate

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

10/687,012

Group Art Unit:

2859

Filing Date:

October 16, 2003

Examiner:

Arana, L. M.

Inventor:

Romalis et al.

Title of Application: High Sensitivity Atomic Magnetometer and Methods for Using Same

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### LETTER OF TRANSMITTAL: INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Applicants provide herewith an Information Disclosure Statement. This communication includes the following items:

- Letter, Information Disclosure Statement Under 37 CFR 1.97(b) X
- X Substitute for Form 1449/PTO Information Disclosure Statement by Applicant, in Duplicate
- One copy of each information document, total of 34.  $\boxtimes$
- $\boxtimes$ **Return Post Card**

Respectfully submitted,

Date: July 30, 2004

Henry E. Auer

(Reg. No.)

Agent for Applicant

**Proteus Patent Practice LLC** 

P. O. Box 1867

New Haven, CT 06508

Phone: (203) 777-4607

(203) 624-8594

Email: proteuspatent@snet.net

CERTIFICATE OF MAILING (37CFR 1.8(a)) I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Stop-Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. Typed name of person signing Certificate

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

10/687,012

Group Art Unit:

2859

Filing Date:

October 16, 2003

Examiner:

Arana, L. M.

Inventor:

Romalis et al.

Title of Application: High Sensitivity Atomic Magnetometer and Methods for Using Same

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

# **INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.97(b)**

Dear Sir:

Pursuant to the Duty to Disclose under 37 CFR 1.56, 1.97 and 1.98, the Applicant makes of record the documents listed below, and on the Substitute for Form PTO/1449 enclosed in duplicate with this letter. The order of presentation of the documents is not related to any assessment of their relative importance.

### U. S. Patents

- 1. US-4,005,355, filed 01-25-1977, to Hopper et al.
- 2. US-6,472,869, filed 10-29-2002, to Upschulte et al.

#### Literature References

1. ---, SQUID Sensors: Fundamentals, Fabrication and Applications, Ed. Weinstock, H., Kluwer Academic (1996) (Abstract only).

- 2. AFFOLDERBACH, C., et al., An all-optical, high sensitivity magnetic gradiometer, Appl Phys (2002) B 75: 605-612.
- 3. ALEXANDROV, E.B. et al., Double-Resonance Atomic Magnetometers: from Gas Discharge to Laser Pumping, *Laser Phys.* (1996) 6: 244-251.
- 4. ALEKSANDROV, E.B., et al. Laser pumping in the scheme of an M<sub>x</sub>-magnetometer, Optics and Spectr. (1995) 78:292-298.
- 5. ALLRED, J.C., et al., High-sensitivity atomic magnetometer unaffected by spin-exchange relaxation, *Phys. Rev. Lett.* (2002) **89**:130801-1 130801-4.
- 6. BISON, G., et al., A laser-pumped magnetometer for the mapping of human cardiomagnetic fields, Appl. Phys. B. (2003) 76:325-328.
- 7. BISON, G., et al., Dynamical mapping of the human cardiomagnetic field with a room-temperature, laser-optical sensor, Opt. Expr. (2003) 11:904-909.
- 8. BUDKER, D., et al., Resonant nonlinear magneto-optical effects in atoms, Rev. Mod. Phys. (2002) 74:1153-1201.
- 9. BUDKER, D. et al., Nonliner Magneto-optic Effects with Ultranarrow Widths, *Phys. Rev. Lett.* (1998) **81**:5788-5791.
- 10. BUDKER, D., et al., Sensitive magnetometry based on non-linear magneto-optical rotation, *Phys. Rev. A* (2000) **62**:043403-1 043403-7.
- 11. CLEM, T.R., Superconducting Magnetic Gradiometers For Underwater Target Detection, Nav. Eng. J. (1998) 110:139-149.
- 12. DEL GRATTA C, et al., Magnetoencephalography a noninvasive brain imaging method with 1 ms time resolution, *Rep. Prog. Phys.* (2001) **64**:1759-1814.
- 13. DRUNG, D., et al., Improved direct-coupled dc SQUID read-out electronics with automatic bias voltage tuning, *IEEE T. Appl. Supercon.* (2001) 11:880-883.
- 14. GREENBERG, Ya.S., Application of superconducting quantum interference devices to nuclear magnetic resonance, *Rev. Mod. Phys.* (1998) 70:175-222.
- 15. HÄMÄLÄINEN M. et al., Magnetoencephalography-theory, instrumentation, and applications to non-invasive studies of the working human brain, *Rev. Mod. Phys.* (1993) **65**:413-497 (Abstract and contents only).
- 16. HAPPER, W., Optical Pumping, Rev. Mod. Phys. 1972, 44:169-249 (Abstract and contents only).
- 17. HAPPER, W., et al., Effect of rapid spin exchange on the magnetic-resonance spectrum of alkali vapors, *Phys. Rev. A* (1977) 16:1877-1991.

- 18. HAPPER W. et al., Spin-Exchange Shift and Narrowing of Magnetic Resonane Lines in Optically Pumped Alkali Vapors, Phys. Rev. Lett. (1973) 31:273-276.
- 19. HARRY, G.M., et al., Two-stage superconducting-quantum-interference-device amplifier in a high-Q gravitational wave transducer, *Appl. Phys. Lett.* (2000) 76:1446-1448.
- 20. KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.
- 21. KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, *Science* (1997) 275:1629-1633.KOMINIS, I. K. et al., A subfemtotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.
- 22. MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, Science (2002) 295:2247-2249.
- 23. MURTHY, S. A., et al, New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.
- 24. NENONEN, J., et al., Thermal noise in biomagnetic measurements, *Rev. Sci. Instr.* (1996) 67:2397-2405.
- NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.
- 26. OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, *Physica C* (2002) **368**:166-170.
- 27. RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, *Nature* (1999) **397**:430-433.
- 28. TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, *Appl. Phys. Lett.* (1997) 71:1573-1575.
- 29. TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, *Science* (1990) **249**:417-420.
- 30. TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, *Phys. Rev. Lett.* (2000) **85**:182-185.
- 31. VARPULA, T., et al, J. Appl. Phys. (1984) 55:4015-4021.
- 32. ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. *J. Appl. Phys.* (1970) 41, 1572-1580.

A copy of each information document is enclosed. Applicant requests the Examiner to consider completely each item of information in reaching a determination concerning the patentability of the instant application. The Applicant further requests that the Examiner initial Form PTO/1449 if the reference was considered, whether or not the citation is in conformance with MPEP 609, or to draw a line through the citation if it is not in conformance and was not considered, and to include a copy of the form with the next communication to the Applicant.

By submitting this information, no representation is made (1) that a search was performed. (2) concerning the extent of any search that may have been made. (3) that more relevant information does not exist, (4) that information cited on Form PTO/1449 is, or is considered to be, material to patentability as set forth in 37 CFR 1.56(b), and (5) that information cited is, or is considered to be, prior art as defined by 35 U.S.C. 102.

No item of information contained in the Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application.

It is believed that this Information Disclosure Statement is filed prior to the mailing date of the first Office Action on the merits for this application. It is therefore believed that no fee is due with this reply, in accordance with 37 CFR 1.97(b). If there remains nevertheless any fee due, the Commissioner is hereby authorized to charge the required filing fee, or any underpayment therof, or to credit any overpayment thereof, to Proteus Patent Practice LLC Deposit Account No. 502572, Ref. No. 403-03.

Respectfully submitted,

Date: July 30, 2004

Henry E. Auer (Reg. No.)

Agent for Applicant **Proteus Patent Practice LLC** 

P. O. Box 1867

New Haven, CT 06508

Phone: (203) 777-4607

(203) 624-8594

Email: proteuspatent@snet.net

Copied from PTO/SB/08A and B (08)

Copied from PTO/SB/08A (08-03)

	Ye m	S. Patent and Trademark Office	ce; U. S. DEPARTMENT OF COMMERCE			
Substitute for form 1449/PTO  INFORMATION DISCLOSURE		Complete if known				
		Application Number	10/687,012			
INFORMATION DISCLOSURE		Filing Date	October 16, 2003			
STATEMENT BY APPLICANT		First Named Inventor	Romalis			
(Use as many sheets as necessary)	`	Art Unit	2859			
		Examiner Name	Arana, L. M.			
Sheet 1 of 3	3	Attorney Docket Number	403-03			

		U. :	S. PATENT DOCU	MENTS	
Examiner Initials	Cite No. <sup>1</sup>	Document Number  Number-Kind Code <sup>2 (d known)</sup>	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
		US-4,005,355	01-25-1977	Hopper et al.	
		US-6,472,869	10-29-2002	Upschulte et al.	,
		US-			
**		US-			
		US-			

		FOREIGN DO	CUMENTS			
Examiner Initials	Cite No. <sup>1</sup>	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (# kinown)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	<b>™</b>
	ļ	·				
						<u> </u>
	ļ					ļ
	-		ļ			

		· · · · · · · · · · · · · · · · · · ·
Examiner	Date	
Signature	Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>See Kind Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIP Standard ST. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CER 1.97 and 1.98. The information is required to obtain or retain a benefit by the nublic which is to file.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, P. O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

Copied from PTO/SB/08B (08-03)
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for fo	rm 1449/PTO				Complete if known		
CODSTICT OF 10	MATION DISCLOSURE MENT BY APPLICANT  s many sheets as necessary)		Application Number	10/687,012			
INFORM	ATION DIS	CLOS	URE		Filing Date	October 16, 2003	
STATEM	TATEMENT BY APPLICANT				First Named Inventor	Romalis	
(Use as n	nanv sheets as	necessar	v)		Art Unit	2859	
,	,,		2,		Examiner Name	Arana, L. M.	
Sheet	Sheet 2 of 3				Attorney Docket Number	403-03	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T
	•	, SQUID Sensors: Fundamentals, Fabrication and Applications, Ed. Weinstock, H., Kluwer Academic (1996) (Abstract only).	
		AFFOLDERBACH, C., et al., An all-optical, high sensitivity magnetic gradiometer, Appl Phys (2002) B <b>75</b> : 605-612.	┢
		ALEXANDROV, E.B. et al., Double-Resonance Atomic Magnetometers: from Gas Discharge to Laser Pumping, <i>Laser Phys.</i> (1996) 6: 244-251.	T
		ALEKSANDROV, E.B., et al. Laser pumping in the scheme of an M <sub>x</sub> -magnetometer, <i>Optics and Spectr.</i> (1995) <b>78</b> :292-298.	T
		ALLRED, J.C., et al., High-sensitivity atomic magnetometer unaffected by spin- exchange relaxation, <i>Phys. Rev. Lett.</i> (2002) <b>89</b> :130801-1 – 130801-4.	Γ
		BISON, G., et al., A laser-pumped magnetometer for the mapping of human cardiomagnetic fields, <i>Appl. Phys. B.</i> (2003) <b>76</b> :325-328.	
		BISON, G., et al., Dynamical mapping of the human cardiomagnetic field with a room-temperature, laser-optical sensor, Opt. Expr. (2003) 11:904-909.	
		BUDKER, D., et al., Resonant nonlinear magneto-optical effects in atoms, Rev. Mod. Phys. (2002) <b>74</b> :1153-1201.	
		BUDKER, D. et al., Nonliner Magneto-optic Effects with Ultranarrow Widths, <i>Phys. Rev. Lett.</i> (1998) <b>81</b> :5788-5791.	Γ
		BUDKER, D., et al., Sensitive magnetometry based on non-linear magneto-optical rotation, <i>Phys. Rev. A</i> (2000) <b>62</b> :043403-1 - 043403-7.	
		CLEM, T.R., Superconducting Magnetic Gradiometers For Underwater Target Detection, Nav. Eng. J. (1998) <b>110</b> :139-149.	
		DEL GRATTA C, et al., Magnetoencephalography - a noninvasive brain imaging method with 1 ms time resolution, <i>Rep. Prog. Phys.</i> (2001) <b>64</b> :1759-1814.	
		DRUNG, D., et al., Improved direct-coupled dc SQUID read-out electronics with automatic bias voltage tuning, IEEE T. Appl. Supercon. (2001) 11:880-883.	
· · · · · · · · · · · · · · · · · · ·		GREENBERG, Ya.S., Application of superconducting quantum interference devices to nuclear magnetic resonance, Rev. Mod. Phys. (1998) 70:175-222.	
		HÄMÄLÄINEN M. et al., Magnetoencephalography-theory, instrumentation, and applications to non-invasive studies of the working human brain, <i>Rev. Mod. Phys.</i> (1993) <b>65</b> :413-497 (Abstract and contents only).	
		HAPPER, W., Optical Pumping, Rev. Mod. Phys. 1972, 44:169-249 (Abstract and contents only).	

Examiner	Date	
Signature	Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, P. O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

Copied from PTO/SB/08B (08-03)

U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE

Substitute for for	Substitute for form 1449/PTO				Complete if known		
outsuitate for for	11111111				Application Number	10/687,012	
INFORM	ATION DISC	CLOS	URE		Filing Date	October 16, 2003	
STATEM	TATEMENT BY APPLICANT				First Named Inventor	Romalis	
(Use as m	nany sheets as n	iecessai	nv)		Art Unit	2859	
(00000	(666 46) 5664 4655555,				Examiner Name	Arana, L. M.	
Sheet	3	of	3		Attorney Docket Number	403-03	

No. Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.  HAPPER, W., et al., Effect of rapid spin exchange on the magnetic-resonance spectrum of alkali vapors, <i>Phys. Rev. A</i> (1977) 16:1877-1991.  HAPPER W. et al., Spin-Exchange Shift and Narrowing of Magnetic Resonane Lines inOptically Pumped Alkali Vapors, Phys. Rev. Lett. (1973) 31:273-276.  HARRY, G.M., et al., Two-stage superconducting-quantum-interference-device amplifier in a high-Q gravitational wave transducer, <i>Appl. Phys. Lett.</i> (2000) 76:1446-1448.  KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, <i>Science</i> (1997) 275:1629-1633.  KOMINIS, I.K. et al., A subfemtotesia multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesia magnetic fields, <i>Science</i> (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, <i>Rev. Sci. Instr.</i> (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, <i>Physica C</i> (2002) 368:168-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, <i>Nature</i> (1999) 397-430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, <i>Appl. Phys. Lett.</i> (1997) 71:1573-1575.  TSO, D.Y., et al., Pincerional organisation of primate visual cortex revealed by high-resolution optical imaging, <i>Science</i> (1990) 249:417-420.  TSU		T	NON PATENT LITERATURE DOCUMENTS	_
spectrum of alkali vapors, <i>Phys. Rev. A</i> (1977) 16:1877-1991.  HAPPER W. et al., Spin-Exchange Shift and Narrowing of Magnetic Resonane Lines inOptically Pumped Alkali Vapors, Phys. Rev. Lett. (1973) 31:273-276.  HARRY, G.M., et al., Two-stage superconducting-quantum-interference-device amplifier in a high-Q gravitational wave transducer, <i>Appl. Phys. Lett.</i> (2000) 76:1446-1448.  KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, <i>Science</i> (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subfemtotesia multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesia magnetic fields, <i>Science</i> (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, <i>Rev. Sci. Instr.</i> (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, <i>Physica C</i> (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, <i>Nature</i> (1999) 397:430-433.  TRALSHAWALA, N., et al., Fractical SQUID instrument for non-destructive testing, <i>Appl. Phys. Lett.</i> (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, <i>Science</i> (1990) 249:417-420.  TSUEI, C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, <i>Phys. Rev. Lett.</i> (2000) 85:182-185.  VARPULA, T., et al., <i>Design</i> and operation of stable RF-biased superconducting poi	Examiner Initials	Cite No. <sup>1</sup>		
HAPPER W. et al., Spin-Exchange Shift and Narrowing of Magnetic Resonane Lines inOptically Pumped Alkali Vapors, Phys. Rev. Lett. (1973) 31:273-276.  HARRY, G.M., et al., Two-stage superconducting-quantum-interference-device amplifier in a high-Q gravitational wave transducer, Appl. Phys. Lett. (2000) 76:1446-1448.  KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, Science (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subfemtotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.				
HARRY, G.M., et al., Two-stage superconducting-quantum-interference-device amplifier in a high-Q gravitational wave transducer, Appl. Phys. Lett. (2000) 76:1446-1448.  KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, Science (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subfemtotesia multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesia magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.			HAPPER W. et al., Spin-Exchange Shift and Narrowing of Magnetic Resonane	ŀ
amplifier in a high-Q gravitational wave transducer, Appl. Phys. Lett. (2000) 76:1446-1448.  KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, Science (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subfermtotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.		<b> </b>		╀
KELHA, V.O., et al., Design, Construction and Performance of a large-volume magnetic shield, IEEE Trans. Magn. (1982) 18:260-270.  KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, Science (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subferntotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.		•	amplifier in a high-Q gravitational wave transducer, Appl. Phys. Lett. (2000)	
KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of carbonate in the Martian meteorite ALH84001, <i>Science</i> (1997) 275:1629-1633.  KOMINIS, I. K. et al., A subfemtotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, <i>Science</i> (2002) 295:2247-2249.  MURTHY, S. A., et al., New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, <i>Rev. Sci. Instr.</i> (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, <i>Physica C</i> (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, <i>Nature</i> (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, <i>Appl. Phys. Lett.</i> (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, <i>Science</i> (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, <i>Phys. Rev. Lett.</i> (2000) 85:182-185.  VARPULA, T., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. <i>J. Appl. Phys.</i> (1970) 41, 1572-1580.			KELHA, V.O., et al., Design, Construction and Performance of a large-volume	1
KOMINIS, I. K. et al., A subfemtotesla multichannel atomic magnetometer, Nature (2003) 422:596-599.  MCDERMOTT, R., et al., Liquid-state NMR and scalar couplings in microtesla magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al, New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow. long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.			KIRSCHVINK, J.L., et al., Paleomagnetic evidence of a low-temperature origin of	l
magnetic fields, Science (2002) 295:2247-2249.  MURTHY, S. A., et al, New Limits on the Electron Electric Dipole Moment from Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.			KOMINIS, I. K. et al., A subfemtotesla multichannel atomic magnetometer, Nature	T
Cesium, Phys. Rev. Lett. (1989) 63:965-968.  NENONEN, J., et al., Thermal noise in biomagnetic measurements, Rev. Sci. Instr. (1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N.,et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.				
(1996) 67:2397-2405.  NENONEN, J., et al., Thermal Noise in a Magnetically Shielded Room, in Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N., et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.				
Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p. 426-429.  OUKHANSKI, N.,et al., Low-drift broadband directly coupled dc SQUID read-out electronics, Physica C (2002) 368:166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  'VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.				
OUKHANSKI, N.,et al., Low-drift broadband directly coupled dc SQUID read-out electronics, <i>Physica C</i> (2002) <b>368</b> :166-170.  RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, <i>Nature</i> (1999) <b>397</b> :430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, <i>Appl. Phys. Lett.</i> (1997) <b>71</b> :1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, <i>Science</i> (1990) <b>249</b> :417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, <i>Phys. Rev. Lett.</i> (2000) <b>85</b> :182-185.  VARPULA, T., et al., <i>J. Appl. Phys.</i> (1984) <b>5</b> 5:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. <i>J. Appl. Phys.</i> (1970) <b>41</b> , 1572-1580.	·		Biomagnetism '87, Ed. K. Atsumi et al., Denki University Press, Tokyo, 1988), p.	
RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of human brain activity, Nature (1999) 397:430-433.  TRALSHAWALA, N., et al., Practical SQUID instrument for non-destructive testing, Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al., J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.			OUKHANSKI, N.,et al., Low-drift broadband directly coupled dc SQUID read-out	İ
Appl. Phys. Lett. (1997) 71:1573-1575.  TS'O, D.Y., et al., Functional organisation of primate visual cortex revealed by high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al, J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.	· · · · · · · ·		RODRIGUEZ, E., et al., Perception's shadow: long-distance synchronization of	Ī
high-resolution optical imaging, Science (1990) 249:417-420.  TSUEI, C.C. et al., Phase-sensitive evidence for d-wave pairing symmetry in electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al, J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.				
electron-doped cuprate superconductors, Phys. Rev. Lett. (2000) 85:182-185.  VARPULA, T., et al, J. Appl. Phys. (1984) 55:4015-4021.  ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.  Date		. •		
ZIMMERMAN, J.E., et al., Design and operation of stable RF-biased superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. J. Appl. Phys. (1970) 41, 1572-1580.	*			
superconducting point-contact quantum devices, and a note on properties of perfectly clean metal contacts. <i>J. Appl. Phys.</i> (1970) <b>41,</b> 1572-1580.		•	VARPULA, T., et al, <i>J. Appl. Phys.</i> (1984) <b>5</b> 5:4015-4021.	Ī
aminer Date		,	superconducting point-contact quantum devices, and a note on properties of	
	xaminer ignature		Date	•

Signature Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.